SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
 - · Product name: Motorvac Universal ATF Protectant
 - · Part number: 400-1030AS
 - · Application of the substance / the mixture automatic transmission additive
- · 1.3 Details of the supplier of the safety data sheet
 - · Manufacturer/Supplier:

Motorvac, division of, CPS Products Canada Ltd.

1324 Blundel Road

Mississauga, ON, L4Y 1M5

Canada

Phone: (905) 615-8620

- · email of person responsible: customerservice@terraclean.net
- 1.4 Emergency telephone number: CHEMTREC International +1 (703) 527-3887 24 hr

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
 - · Classification according to Regulation (EC) No 1272/2008

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- · 2.2 Label elements
 - Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

Dec-1-ene, dimers, hydrogenated

· Hazard statements

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

- · 2.3 Other hazards
 - · Results of PBT and vPvB assessment
 - · **PBT:** Not applicable.
 - · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
 - **Description:** Mixture: consisting of the following hazardous components.

(Contd. on page 2)

Issue date: 09.10.2015 Version 1 Last Revision: 09.10.2015

Product name: Motorvac Universal ATF Protectant

	(Cor	td. of page 1)			
· Dangerous compo	nents:				
CAS: 61791-24-0	Amines, soya alkyl, ethoxylated	≤10%			
EC number: 612-399-4	Acute Tox. 4, H302				
CAS: 68649-11-6	Dec-1-ene, dimers, hydrogenated	≤10%			
NLP: 500-228-5	Asp. Tox. 1, H304; Acute Tox. 4, H332				
CAS: 68307-94-8	Phosphoric acid, mono- and di-C6-10-alkyl esters	1-≤2.5%			
EINECS: 269-616-7	Skin Irrit. 2, H315; Eye Irrit. 2, H319				
· Additional informat	 Additional information: For the wording of the listed risk phrases refer to section 16. 				

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Wash with plenty of soap and water. Remove contaminated clothing. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse.

· After eye contact:

Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.

· After swallowing:

Do not induce vomitting.

If symptoms persist consult doctor.

· 4.2 Most important symptoms and effects, both acute and delayed

Nausea

Harmful if swallowed. May be fatal if swallowed and enters airways. Swallowing a small quantity of this material will result in serious health hazard. vomiting

4.3 Indication of any immediate medical attention and special treatment neededNo further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
 - · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture

See section 10 for additional information.

- · 5.3 Advice for firefighters
 - · Protective equipment:

Recommend wearing self-contained breathing apparatus. Water may cause splattering.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Avoid breathing vapors.

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

(Contd. on page 3)

Product name: Motorvac Universal ATF Protectant

(Contd. of page 2)

Do not touch or walk through spilled material.

- **6.2 Environmental precautions:** No special measures required.
- · 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

• 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Avoid splashes or spray in enclosed areas.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
 - · Storage:
 - · Requirements to be met by storerooms and receptacles:

See section 10 for incompatible materials.

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store in cool, dry, dark place, away from direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Other Exposure Limits

Contains mineral oil. Under conditions which may generate mists, observe the OSHA PEL of 5 mg per cubic meter, ACGIH TWA of 5 mg per cubic meter.

- · 8.2 Exposure controls
 - · Personal protective equipment:
 - General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Remove all soiled and contaminated clothing.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Chemical resistant protective gloves (EN 374)

Product name: Motorvac Universal ATF Protectant

· Eye protection:

(Contd. of page 3)



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

SECTION 9: Physical and cher	nical properties
· 9.1 Information on basic physical an	d chemical properties
 General Information 	
· Appearance:	
· Form: · Colour:	Fluid
· Colour: · Odour:	Red Petrol-like
· Odour threshold:	Not determined.
· pH-value:	Not determined.
•	. 101 4010111111041
 Change in condition Melting point/Melting range: 	Undetermined.
· Boiling point/Boiling range:	Undetermined.
· Flash point:	160 °C
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	тчот арриоаме.
· Decomposition temperature:	Not determined.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	· · ·
· Lower:	Not determined.
· Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density:	Not determined.
· Relative density	Not determined.
 Vapour density 	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wa	ater): Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
· 9.2 Other information	No further relevant information available.

Issue date: 09.10.2015 Version 1 Last Revision: 09.10.2015

Product name: Motorvac Universal ATF Protectant

(Contd. of page 4)

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
 - Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Strong Oxidizers
- · 10.6 Hazardous decomposition products:

Hydrogen sulphide

Carbon monoxide and carbon dioxide

Ammonia

Phosphorus oxides (e.g. P2O5)

Nitrogen oxides (NOx)

Sulphur oxides (SOx)

Mercaptans

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
 - · Acute toxicity Based on available data, the classification criteria are not met.

· LD/	· LD/LC50 values relevant for classification:			
Oral	LD50	15000 mg/kg (rat)		
Inhalative	LC50/4 h (vapor)	110 mg/L		
61791-24-0 Amines, soya alkyl, ethoxylated				
Oral	LD50	1500 mg/kg (rat)		
68649-11-	68649-11-6 Dec-1-ene, dimers, hydrogenated			
Inhalative	LC50/4 h (vapor)	11 mg/L (ATE)		

- · Primary irritant effect:
 - · Skin corrosion/irritation May cause mild skin irritation.
 - Serious eye damage/irritation

Based on available data, the classification criteria are not met.

- · Ingestion: May be fatal if swallowed and enter airways.
- · Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
 - · Germ cell mutagenicity Based on available data, the classification criteria are not met.
 - · Carcinogenicity Based on available data, the classification criteria are not met.
 - · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

- · 12.1 Toxicity
 - · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

Product name: Motorvac Universal ATF Protectant

(Contd. of page 5)

- 12.4 Mobility in soil No further relevant information available.
 - · Additional ecological information:
 - · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
 - · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
 - · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informa	tion	
· 14.1 UN-Number · ADR, IMDG, IATA	Not Regulated	
 14.2 UN proper shipping name ADR IMDG, IATA 	Not Regulated Not Regulated	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA · Class	Not Regulated	
· 14.4 Packing group · ADR, IMDG, IATA	Not Regulated	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Transport in bulk according to An of Marpol and the IBC Code 	nex II Not applicable.	
· UN "Model Regulation":	Not Regulated	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

No REACH Annex XVII restrictions Contains no REACH candidate substance

- · Directive 2012/18/EU
 - · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 7)

Issue date: 09.10.2015 Version 1 Last Revision: 09.10.2015

Product name: Motorvac Universal ATF Protectant

(Contd. of page 6)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Issue Date: October 9, 2015
 - · Relevant phrases

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

- · Contact: Engineering Department
 - · Revision Changes: v 1.0 original SDS release (October 9, 2015)
 - · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Asp. Tox. 1: Aspiration hazard, Hazard Category 1