



**cps<sup>®</sup>**

**CPS**  
**AUTO SERVICE**

**BUILT BY TECHNICIANS  
FOR TECHNICIANS**

**BLACKMAX<sup>®</sup>**

***Pro-Set<sup>®</sup>***

***CARSMART***



## TRSA21A – Recovery / Recycle Machine

RECOVERY / RECYCLE MACHINE FOR R134A & R1234YF

Protect your main RRR equipment from contaminated refrigerant.

Designed for **R134a and R1234yf mobile A/C systems**, the TRSA21A combines fast oil-less refrigerant recovery with **integrated oil separation and inlet filtration**.

Its heavy-duty roll cage, high-pressure cut-out and ignition-proof design make it a practical workshop solution for handling suspect or contaminated refrigerant before it reaches your main recovery and recycling equipment.

- CPS's exclusive 2/3 HP twin-cylinder oil-less compressor
- Integrated oil separator and inlet filter drier
- Ignition-proof design for Class A2L refrigerants
- Heavy-duty roll cage with integrated carry handle
- High-pressure cut-out protection



## TRS21A – Recovery Machine

RECOVERY MACHINE FOR R134A & R1234YF

Fast, dependable refrigerant recovery for modern A/C systems.

Designed for **Class A1 and A2L refrigerants, including R134a and R1234yf**, the TRS21A combines a compact, rugged design with a maintenance-free oil-less compressor for reliable everyday recovery work.

Its sealed bearings, improved piston seals and high-pressure cut-out help deliver dependable performance with reduced maintenance, making it well suited to both workshop and mobile service applications.

- Maintenance-free oil-less compressor
- Improved piston seal design for reduced leakage and deeper vacuum
- 550 psi high-pressure cut-out with LED indicator
- Cleanable 100-mesh inlet filter
- Compact, portable design
- Suitable for Class A1 and A2L refrigerants



## TRS600E – Recovery Machine

RECOVERY MACHINE FOR R134A & R1234YF

Fast recovery for demanding workshop and field applications.

The TRS600E combines a powerful **2/3 HP twin-cylinder oil-less compressor** with an efficient cooling system to deliver fast, dependable refrigerant recovery, including in higher ambient temperatures.

Designed for **Class A1 and A2L refrigerants, including R32, R134a and R1234yf**, it combines ignition-proof construction, high-pressure protection and rugged portability for professional automotive A/C and HVAC/R recovery work.

- 2/3 HP twin-cylinder oil-less compressor
- High-efficiency cooling system
- Designed and tested to ANSI 12.12.01 ignition-proof standards
- 550 psi high-pressure cut-out
- Cleanable inlet filter
- Rugged, portable housing
- Suitable for Class A1 and A2L refrigerants



## VPS2DA – Vacuum Pump

2-STAGE 48 L/MIN VACUUM PUMP FOR R134A & R1234YF

Deep vacuum performance for modern refrigerants.

The VPS2DA is a compact **two-stage ignition-proof vacuum pump** delivering **48 L/min** evacuation capacity and an ultimate vacuum as low as **10 microns**.

Designed for **R134a, R1234yf and other suitable refrigerants**, it combines sealed electrical components, a gas ballast valve and multiple inlet connections for dependable workshop and field use.

- 48 L/min two-stage vacuum pump
- Ultimate vacuum as low as 10 microns
- Ignition-proof design with sealed electrical components
- Gas ballast valve for faster deep vacuum
- Multiple inlet connections
- Large oil sight glass and easy-access oil drain
- Rugged, portable construction



## VPS6DA – Vacuum Pump

2-STAGE 144 L/MIN VACUUM PUMP FOR R134A & R1234YF

Fast evacuation. Deep vacuum. Built for demanding service work.

The VPS6DA is a high-capacity **two-stage ignition-proof vacuum pump** delivering **144 L/min** evacuation capacity and an ultimate vacuum as low as **10 microns**.

Designed for **R134a, R1234yf and other suitable refrigerants**, it combines sealed electrical components, a gas ballast valve and rugged construction for faster evacuation of larger automotive A/C and refrigeration systems.

- 144 L/min two-stage vacuum pump
- Ultimate vacuum as low as 10 microns
- Ignition-proof design with sealed electrical components
- Gas ballast valve for faster deep vacuum
- Advanced air-cooled motor design
- Oil-mist-free exhaust
- Rugged, portable construction



## VPC2D-18VDCKIT – 18V DC Vacuum Pump

18V CORDLESS 2-STAGE 48 L/MIN VACUUM PUMP KIT

Professional vacuum performance without the power lead.

The VPC2D-18VDCKIT is a compact **18V cordless two-stage vacuum pump** delivering **48 L/min** evacuation capacity, making it ideal for mobile and field service where mains power is not readily available.

Supplied with a **5.0 Ah lithium-ion battery, charger and carry case**, it provides up to **1 hour run time**, while the normally closed safety solenoid automatically shuts on low voltage to help protect the system vacuum.

- 48 L/min two-stage vacuum pump
- 18V 5.0 Ah lithium-ion battery
- Up to 1 hour run time
- Normally closed safety solenoid
- Automatic low-voltage shut-off
- Reinforced, shock-resistant base
- Battery, charger and carry case included



## VPO – Premium Vacuum Pump Oil

VPO – PREMIUM VACUUM PUMP OIL

Clean oil for deeper vacuums and longer pump life.

VPOQ Pro-Set Premium Vacuum Pump Oil is a high-quality, severely hydrotreated oil formulated to support **deep, consistent vacuum performance** while helping protect vacuum pump internals from moisture, acids and other contaminants.

Suitable for vacuum pumps from most manufacturers, it helps maintain evacuation performance and extend pump life when changed regularly.

- VPOP12 - (Box 12)  
VPOQ 945 mL (1 qt) bottle - (Box 12)  
VPOG6 3.79 L (1 gal) bottle - (Box 6)
- Low vapour pressure and excellent chemical stability
- Helps maintain deep vacuum performance and protects against contamination-related wear
- Suitable for most vacuum pump brands
- Recommended for regular oil changes



## CC220 – Refrigerant Scales

100 KG REFRIGERANT SCALES

High-capacity accuracy for professional refrigerant charging and recovery.

The CC220 combines **100 kg capacity, 10 g resolution** and high-accuracy strain-gauge load-cell technology to provide precise refrigerant weighing for workshop and field service.

Its rugged cast-aluminium platform, overload protection and large remote LCD display make refrigerant charging and recovery simple, visible and dependable.

- 100 kg weighing capacity
- 10 g resolution
- High-accuracy strain-gauge load-cell technology
- Large remote LCD display
- Automatic tare and manual zero functions
- Magnetic mount and swivel hook
- Rugged cast-aluminium platform
- Protective carry case included



## LS – Refrigerant Leak Detector

LEAK-SEEKER MANUAL SENSITIVITY ADJUSTMENT

Find refrigerant leaks faster with clear visual guidance and dependable sensitivity.

The CPS LS Leak-Seeker combines a **high-sensitivity heated-diode sensor**, large backlit colour display and 40 cm flexible probe to help technicians quickly pinpoint refrigerant leaks in automotive A/C, refrigeration and HVAC/R systems.

Compatible with A2L, HFO, HFC and HCFC refrigerants including **R32, R1234yf, R134a, R410A, R407C and R454B**, it provides automatic calibration, ambient reset and peak detection for confident day-to-day leak detection.

- High-sensitivity heated-diode sensor
- Large backlit colour display
- 40 cm flexible probe
- Automatic calibration and ambient reset
- Peak detection function
- Moisture-resistant design
- Rechargeable lithium-ion battery
- USB Type-C charging
- Protective carry case included



## LS2 – Refrigerant Leak Detector

### LEAK-SEEKER II FULLY AUTOMATIC REFRIGERANT LEAK DETECTOR

Simple operation. Accurate leak detection.

The LS2 uses **E\_MOS sensor technology** and automatic sensitivity control to help technicians quickly pinpoint refrigerant leaks across a wide range of automotive A/C and HVAC/R systems.

Compatible with refrigerants containing hydrocarbons such as HC, CFC, HFC, HFO and HCFC. Perfect for detecting **R32, R1234yf, R134a, R410A, R407C, R454B and R466B**, it provides automatic calibration, ambient reset and peak detection for confident day-to-day leak detection.

Its one-button operation, automatic sensor management and water-vapour stabilising filter help reduce false alarms while maintaining high sensitivity for dependable everyday diagnostics.

- Better than 3 g/year sensitivity
- 56 automatic sensitivity levels
- E\_MOS sensor technology
- Automatic sensor rejuvenation
- Water-vapour stabilising filter
- One-button operation
- LED bar graph leak indication
- Loud audible alarm
- 50+ hour battery life
- Replaceable sensor, filter and tip



## LSCG – Combustible Gas Leak Detector

### LEAK-SEEKER COMBUSTIBLE GAS LEAK DETECTOR

Find combustible gas leaks quickly and assess the risk with confidence.

The LSCG detects up to **30 combustible gases** with sensitivity below **10 ppm**, making it suitable for checking gas appliances, pipework, plant equipment and HVAC applications.

Its large backlit display shows **live PPM, analogue concentration and %LEL**, while audible and vibration alarms provide clear warning as gas concentration increases.

- Detects up to 30 combustible gases
- Sensitivity below 10 ppm
- Live PPM and %LEL display
- Large backlit LCD screen
- Audible and vibration alarms
- 51 cm flexible probe
- Automatic calibration and auto-zero
- High/Low concentration ranges
- Rechargeable lithium-ion battery
- Up to 8 hours operation

## EW40395 — Phazer Black Light

### UV LEAK DETECTION LAMP FOR AUTOMOTIVE A/C SYSTEMS

Make difficult A/C leaks easier to see.

The EW40395 uses a **high-output true-UV LED** with a precise **395 nm wavelength** to make compatible fluorescent dye stand out clearly, helping technicians locate difficult A/C leaks faster.

Its adjustable zoom beam, rechargeable battery and compact water-resistant design make it a practical choice for workshop and mobile leak detection.

- High-output true-UV LED
- 395 nm UV wavelength
- Adjustable zoom beam
- Over 4 hours battery run time
- Rechargeable lithium-ion battery
- Compact, water-resistant housing
- USB-C charging
- UV safety glasses included





## TM50AUS — Programmable Digital Pocket Thermometer

### CONTACT TEMPERATURE THERMOMETER FOR AUTOMOTIVE A/C & WORKSHOP DIAGNOSTICS

Fast, accurate temperature measurement wherever the job takes you.

The TM50AUS provides a wide **-50°C to +300°C measurement range with 0.1°C resolution**, helping technicians quickly verify A/C, refrigeration and general workshop temperatures.

Its stainless-steel puncture probe, one-metre lead and programmable alarm functions make it a practical tool for accurate day-to-day diagnostics.

- -50°C to +300°C measurement range
- 0.1°C resolution
- 1 m probe lead
- Stainless-steel puncture probe
- High/Low temperature alarms
- Min/Max memory
- °C/°F selection
- Reading hold and timer functions



## TMINI12 — 12:1 Infrared Thermometer

### NON-CONTACT INFRARED THERMOMETER FOR AUTOMOTIVE A/C & WORKSHOP DIAGNOSTICS

Instant temperature measurement for faster diagnostics.

The TMINI12 provides **non-contact temperature readings from -60°C to +500°C**, helping technicians quickly check A/C, refrigeration, automotive and general workshop systems without touching hot, moving or difficult-to-access components.

Its **12:1 distance-to-spot ratio**, high-output laser pointer and adjustable emissivity help improve targeting and measurement accuracy across a wide range of surfaces.

- -60°C to +500°C measurement range
- 12:1 distance-to-spot ratio
- Adjustable emissivity
- High-output laser pointer
- Min / Max / Average temperature functions
- K-type probe input
- Backlit display
- Integrated LED work light
- Protective case included



## VG200 — Digital Vacuum Gauge

### DIGITAL VACUUM GAUGE FOR AUTOMOTIVE A/C & REFRIGERATION SYSTEMS

Know when the system is truly evacuated.

The VG200 provides continuous vacuum measurement from atmosphere down to **0 microns**, helping technicians confirm deep evacuation and identify potential moisture or leak issues before charging the system.

Its large five-digit LCD, automatic temperature compensation and selectable measurement units make it a dependable tool for accurate workshop and field diagnostics.

- Measures from atmosphere to 0 microns
- Large five-digit LCD display
- Automatic temperature compensation
- Selectable Micron, Torr, inHg and mbar units
- Field-cleanable sensor
- Calibrated to NIST standards
- Includes hanging hook and stainless-steel T-fitting
- Padded protective case included

## MT7T7A6Q — R134a Automotive A/C Manifold Gauge Set

### 2-VALVE MANIFOLD GAUGE SET FOR R134A AUTOMOTIVE A/C SYSTEMS

Accurate pressure readings and dependable control for everyday A/C service.

The Pro-Set MT7T7A6Q combines a rugged **anodised aluminium 2-valve body**, **Triple Seal™ piston valves** and large **80 mm Class 1.0 gauges** to provide accurate pressure readings and dependable refrigerant control during automotive A/C service.

Supplied with three **1.8 m hoses**, manual couplers and a protective carry case, it provides a ready-to-use solution for diagnosis, recovery, evacuation and charging work.



- 2-valve anodised aluminium manifold body
- Triple Seal™ piston valves
- 80 mm Class 1.0 gauges
- Three 1.8 m service hoses
- Manual R134a couplers included
- 1/2 in. ACME fittings
- Protective CPS carry case included

## MTHFO134 — R134a & R1234yf Automotive A/C Manifold Gauge Set

### 2-VALVE MANIFOLD GAUGE SET FOR R134A & R1234YF AUTOMOTIVE A/C SYSTEMS

One professional manifold set for conventional and next-generation vehicle A/C systems.

The Pro-Set MTHFO134 is designed for **R134a and R1234yf automotive A/C systems**, combining a rugged **anodised aluminium 2-valve body**, **Triple Seal™ piston valves** and large **80 mm Class 1.0 gauges** for accurate, dependable service work.

Supplied with three **1.8 m hoses**, two sets of manual couplers and a protective CPS carry case, it provides a complete solution for diagnosis, recovery, evacuation and charging across both refrigerant types.

- Suitable for R134a & R1234yf
- 2-valve anodised aluminium manifold body
- Triple Seal™ piston valves
- 80 mm Class 1.0 silicone-dampened gauges
- Three 1.8 m service hoses
- Two sets of manual couplers included
- Sure-Grip handles
- Protective CPS carry case included



## Pro-Set Automotive A/C Service Hoses

COLOUR-CODED SERVICE HOSES FOR PROFESSIONAL AUTOMOTIVE A/C WORK

Reliable hose connections for diagnosis, recovery, evacuation and charging.

The Pro-Set automotive A/C hose range provides durable, colour-coded service hoses for everyday workshop and mobile use. Designed to make manifold connections easy to identify and manage, the range supports efficient, professional servicing across common automotive A/C procedures.

Available as a **complete red, blue and yellow hose set** or as **individual replacement hoses** to suit workshop requirements.

- 1.8 m service hose length
- Red, blue and yellow colour coding
- Quick visual identification at the manifold
- Suitable for diagnosis, recovery, evacuation and charging
- Available as a complete 3-piece set or individually
- Practical replacement option for worn or damaged hoses
- Designed for professional workshop and mobile service use

### HA6 — 3-Piece Automotive A/C Charging Hose Set



### HA6R — 1.8 m Red Service Hose



### HA6B — 1.8 m Blue Service Hose



### HA6Y — Yellow Service Hose



## Pro-Set R134a Automotive A/C Service Couplers

HIGH- AND LOW-SIDE QUICK-CONNECT COUPLERS FOR R134A AUTOMOTIVE A/C SYSTEMS

Fast, secure connections for professional A/C service work.

The Pro-Set R134a coupler range provides dedicated **high- and low-side quick-connect couplers** for automotive A/C servicing. Colour-coded for easy identification, they help technicians make fast, confident service connections during diagnosis, recovery, evacuation and charging procedures.

Available individually to suit replacement or workshop service requirements

- Dedicated R134a high- and low-side couplers
- Quick-connect design
- Colour-coded for easy identification
- Suitable for diagnosis, recovery, evacuation and charging
- Available individually
- Designed for professional workshop and mobile service use

### QCL134 — R134a Low-Side Coupler



### QCH134 — R134a High-Side Coupler



## RIMINIID — R134a Refrigerant Identifier

REFRIGERANT IDENTIFIER FOR R134A AUTOMOTIVE A/C SYSTEMS

Check refrigerant quality before it contaminates your equipment.

The RIMINIID quickly verifies the presence and quality of **R134a refrigerant**, giving technicians a simple **PASS/FAIL result at a 95% purity threshold** before recovery or recharge work begins.

Its LED-guided sampling, **FAULT** and **EXCESS AIR** warnings, rugged handheld design and 12 V DC operation make it an easy-to-use tool for protecting A/C service equipment and helping keep recovered refrigerant supplies cleaner.



- R134a refrigerant identification
- PASS/FAIL result at 95% purity
- Approx. 100-second test time
- LED-guided sampling
- FAULT and EXCESS AIR warnings
- Vapour-only sampling
- 12 V DC operation
- Rugged handheld design
- Helps protect recovery and recycling equipment

## LEGENDP — Legend ID™ Refrigerant Analyser incl Printer

REFRIGERANT ANALYSER FOR R12, R134A AND R1234YF AUTOMOTIVE A/C SYSTEMS


Know exactly what is in the vehicle before you recover it.

The Legend ID™ quickly analyses **R12, R134a and R1234yf refrigerant**, displaying refrigerant purity, air content and the presence of **R22 or hydrocarbon contamination** in approximately 90 seconds.

With **SAE J2912 certification, ±2% accuracy** and a large colour display, it helps workshops protect recovery equipment, maintain cleaner refrigerant supplies and make confident service decisions.



- Identifies R12, R134a and R1234yf
- Approx. 90-second test time
- Displays refrigerant purity percentage
- Measures air content
- Detects R22 and hydrocarbon contamination
- ±2% accuracy
- SAE J2912 certified
- Large colour display
- Automatic calibration
- USB connectivity
- Includes Printer



## NITROKITGA — Automotive A/C Nitrogen Leak Test Kit

### NITROGEN PRESSURE TEST KIT FOR AUTOMOTIVE A/C SYSTEMS

Find the leak before you charge the system.

The NITROKITGA provides a complete solution for **pressure testing automotive A/C systems with nitrogen**, helping technicians identify leaking hoses, fittings, evaporators and condensers before refrigerant is introduced.

By finding leaks before charging, it helps **reduce refrigerant waste, prevent repeat repairs and improve workshop productivity.**

- Complete nitrogen leak-testing kit
- 0–200 psi manifold gauge
- Premium service hoses
- High-side automotive snap coupler
- CPS BRRN1 nitrogen regulator included
- Suitable for pressure testing and leak checks
- Helps reduce unnecessary refrigerant loss
- Supports faster, more confident diagnostics



## BRRN2A — Nitrogen Regulator

### ADJUSTABLE NITROGEN REGULATOR FOR AUTOMOTIVE A/C PRESSURE TESTING & PURGING

Controlled nitrogen pressure for confident testing and purging.

The BRRN2A provides adjustable nitrogen delivery pressure from **20 to 600 psi**, helping technicians safely regulate nitrogen for automotive A/C **pressure testing, leak checks and purging procedures.**

Its easy-to-read gauges, protective rubber boots and compact design make it a practical choice for both workshop and mobile service use.

- Adjustable delivery pressure from 20 to 600 psi
- Suitable for automotive A/C pressure testing
- Ideal for leak checks and purging
- Easy-to-read pressure gauges
- Protective rubber gauge boots
- Compact 1.05 kg design
- Suitable for workshop and mobile service use

## ACDIAGDUAL — Automotive A/C Refrigerant Diagnostic Tool

### VISUAL INSPECTION TOOL FOR R134A & R1234YF AUTOMOTIVE A/C SYSTEMS

See refrigerant contamination before it damages your service equipment.

The ACDIAGDUAL draws a small refrigerant sample into a sight glass, allowing technicians to visually check for excess oil, UV dye and debris before recovery begins.

This quick inspection helps identify contamination before it reaches expensive A/C service equipment, while ball-valve controls return the sample to the vehicle system, so no refrigerant is lost during testing.

- Suitable for R134a & R1234yf systems
- Visual refrigerant contamination check
- Helps identify excess oil, UV dye and debris
- Protects recovery and recycling equipment
- No refrigerant lost during testing
- Ball-valve controlled sample return
- Simple, fast pre-recovery inspection
- Supports more confident A/C diagnostics





## TLVC5 — A/C Valve Core Removal Tool Kit

A/C VALVE CORE REMOVAL TOOL KIT FOR R134A & R1234YF SYSTEMS

Replace leaking valve cores without losing the vehicle's refrigerant charge.

The TLVC5 quickly connects to **R134a and R1234yf service ports**, allowing technicians to remove and replace leaking or damaged valve cores without discharging the A/C system.

Its high- and low-side quick couplers, master shut-off valve and multiple core-removal tools provide broad service-port coverage while helping reduce service time and unnecessary refrigerant loss.

- Suitable for R134a & R1234yf systems
- Replace valve cores without discharging the system
- High- and low-side quick couplers
- Master shut-off valve
- Standard, GM, JRA, 8 mm and 10 mm core-removal tools
- Valve stem and core service tools included
- Helps reduce refrigerant loss
- Supports faster A/C service and repair

## AUTOMOTIVE A/C SERVICE PORT ADAPTERS, CAPS & VALVE TOOLS

SERVICE ACCESSORIES FOR R134A & R1234YF AUTOMOTIVE A/C SYSTEMS

The small components that help make professional A/C service easier.

The **Pro-Set** range of automotive A/C service adapters, caps and valve tools provides practical workshop solutions for **refrigerant cylinder connections, service-port protection and valve-core servicing** across R134a and R1234yf systems.

Designed as individual service and replacement items, they help technicians maintain the correct fittings and tools for efficient day-to-day A/C work.

- R134a and R1234yf service accessories
- Refrigerant cylinder adapters
- Replacement service-port caps
- Valve-core service tools
- Individual replacement items for workshop use
- Compact, practical additions to the technician's A/C toolkit

### AD81 — R134a 1/2 in. ACME Bottle Adapter



### AD81L — R1234yf 1/2 in. ACME Left-Hand Bottle Adapter



### AVC134C — R134a Brass Service Port Cap with Chain — 2 Pack



### AVC1234 — R1234yf Brass Service Port Cap — 3 Pack



### TLVC2 — Dual Valve Core Tool





## TLFGR-A — AUTOMOTIVE A/C FLUSH GUN KIT

### COMPLETE FLUSH GUN KIT FOR AUTOMOTIVE A/C COMPONENT CLEANING

Flush contaminants out before they damage your repair.

*The TLFGR-A is a complete A/C flush gun kit designed for cleaning condensers, evaporators and other serviceable A/C components, either on or off the vehicle.*

*Operating with standard workshop air, the kit allows technicians to fill the integrated cylinder with flushing solution and apply controlled pressure to help remove contaminated oil, debris and residue from A/C components.*

- Simple operation using standard workshop air and suitable for on-car or off-car component flushing
- Effective for condensers, evaporators and A/C pipework
- Integrated cylinder for flushing solution, regulator and universal coupler, flush gun and hose included
- Helps remove oil, debris and system contamination
- Complete kit reduces technician setup time and is backed by a CPS 1-year warranty

## AFM100 — AUTOMOTIVE A/C FLUSHING MACHINE

### AIR-OPERATED FLUSHING MACHINE FOR COMPLETE AUTOMOTIVE A/C SYSTEMS & COMPONENTS

Thorough A/C system cleaning for cleaner, more reliable repairs

*The AFM100 is an air-operated A/C flushing machine designed for complete systems or individual components, providing forward, reverse and Flush Hold modes for more effective contaminant removal.*

*Its twin 9.5 L internal tanks, long clear hoses and universal adapter system make it suitable for both light- and heavy-duty applications, helping workshops remove contaminated oil, debris and residue following compressor failure or system contamination.*

- Forward and reverse flushing modes plus Flush Hold function allowing components to soak before flushing
- Twin 9.5 L internal tanks and 2.4 m clear braided hoses plus visible, cleanable stainless-steel filter
- Two universal adapters cover approximately 98% of vehicle applications
- Suitable for complete-system or individual-component flushing
- Heavy-duty steel construction and air-operated for simple workshop use
- Supplied complete — just add flush solution and is backed by a CPS 1-year warranty
- Available AFM100 accessories:
  - AFMXH — 2.4 m Flush Hose
  - AFMXHS — Flush Hose Seal, 2 Pack
  - AFMXF — Filter Cartridge
  - AFMXC — Universal Clamp Assembly
  - AFMXCS — Universal Clamp Seal, 2 Pack
  - AFMXR — Refill Cap



## 500-8200AU — BRAKEVAC™ III PREMIUM BRAKE FLUID FLUSH SYSTEM

### POWERED BRAKE FLUID EXCHANGE SYSTEM FOR DOT 3, DOT 4 & DOT 5 BRAKE FLUIDS

Faster, more complete brake fluid servicing with one-person operation.

*The BrakeVac™ III is a powered brake fluid exchange system designed to simplify and improve professional brake servicing.*

*Its automated pulsating flow helps force air bubbles from brake lines while exchanging old fluid, supporting a cleaner and more complete service than basic gravity-bleed methods. One-person operation also reduces technician time and removes the need for a second person to pump the brake pedal.*

- Suitable for DOT 3, DOT 4 and DOT 5 brake fluids
- Automated pulsating flow helps remove trapped air
- One-person operation, helping reduce technician labour time
- Expanded adapter kit for broad vehicle coverage
- Two dedicated waste-fluid bottles included with enclosed waste collection helps keep workshop clean
- 220 V / 50 Hz powered operation for high-volume workshop use



## PRO-SET M SERIES — Compact Mobile Automotive A/C Service Station

FULLY AUTOMATIC PORTABLE RRR MACHINES FOR R134A & R1234YF AUTOMOTIVE A/C SYSTEMS

Professional A/C servicing without the bulk of a conventional RRR unit.

The Pro-Set M combines fully automatic operation with a compact, robust and portable design, making it ideal for workshops, mobile technicians, service vehicles and on-site A/C servicing.

Available in dedicated R134a or R1234yf models, it includes long 7.5 m service hoses, automatic oil injection, a comprehensive APAC vehicle database and Wi-Fi and Bluetooth connectivity with the OksysGen+ app.

OksysGen+ allows technicians to monitor machine progress while carrying out other service work, helping improve workshop productivity and technician utilisation.

- Dedicated R134a or R1234yf models
- Fully automatic working cycle
- 50 L/min vacuum pump
- 8.7 kg refrigerant tank
- $\pm 5$  g scale accuracy
- Automatic air purge
- Automatic oil injection with scale
- 7.5 m service hoses
- 128 x 64 Graphic LCD display
- Comprehensive APAC vehicle database
- Wi-Fi and Bluetooth connectivity with OksysGen+ app
- 220 V 50/60 Hz power supply
- 3-year warranty
- Optional Hybrid Service Bottle (CSAHK)
- Optional single or dual support trolley (PROXTRL / PROXTRLD)



BLUETOOTH AND APP OKSYSGEN+



HYBRID VEHICLES FUNCTION



AUTOMATIC OIL INJECTION



## PROXTRL / PROXTRLD — Pro-Set M Single & Dual Support Trolleys

MOBILE SUPPORT TROLLEYS FOR PRO-SET M RRR UNITS

A practical mobile platform for single or dual refrigerant servicing.

The Pro-Set M support trolley range provides a stable, mobile workstation for workshop use, with single (PROXTRL) and dual (PROXTRLD) configurations available to suit service requirements.

The single trolley supports one Pro-Set M unit, while the dual trolley allows dedicated R134a and R1234yf units to be mounted together on one compact workstation, keeping both refrigerant systems separate, organised and easy to access.

- Single and dual trolley configurations
- Suitable for Pro-Set M R134a and R1234yf units
- Keeps dedicated refrigerant systems separate
- Improves workshop mobility and organisation
- Integrated storage
- Robust mobile workshop design



PROXTRL



PROXTRLD  
RRR's not incl.



BLUETOOTH AND APP OKSYSGEN+



HYBRID VEHICLES FUNCTION



AUTOMATIC OIL INJECTION



## ECOS SERIES — Fully Automatic Automotive A/C Service Station

FULLY AUTOMATIC RRR MACHINES FOR R134A & R1234YF AUTOMOTIVE A/C SYSTEMS

Professional A/C servicing with simple, fully automatic operation.

The ECOS Series provides a practical recover, recycle and recharge solution for workshops servicing R134a or R1234yf automotive A/C systems.

With fully automatic operation, automatic oil injection, air purge and an integrated vehicle database, the ECOS Series helps technicians complete routine A/C service work efficiently and consistently.

Wi-Fi and Bluetooth with the OksysGen+ app allow technicians to monitor machine progress while carrying out other service work, helping improve workshop productivity and technician utilisation.

- Dedicated R134a or R1234yf models
- Fully automatic working cycle
- 50 L/min vacuum pump
- 9 kg refrigerant tank with  $\pm 5$  g scale accuracy
- Automatic air purge and Automatic oil injection with scale
- Oil Lock Cartridge system
- 3.0 m service hoses
- 128 x 64 Graphic LCD display
- Comprehensive APAC vehicle database
- Wi-Fi and Bluetooth connectivity with OksysGen+ app
- 220 V 50/60 Hz power supply
- 3-year warranty
- Optional Automatic UV Dye Injection Kit (CSAUV)
- Optional Hybrid Service Bottle (CSAHK)
- Optional Professional A/C Flushing System\* (CSAFLUSH)

\* Uses refrigerant to flush the A/C system



BLUETOOTH AND APP OKSYSGEN+



HYBRID VEHICLES FUNCTION



AUTOMATIC OIL INJECTION



## HD MASTER SERIES — Heavy-Duty Automotive A/C Service Station

FULLY AUTOMATIC HEAVY-DUTY RRR MACHINES FOR R134A & R1234YF VEHICLES AND MACHINERY

Heavy-duty A/C servicing for vehicles and machinery that work hard.

The HD Master 303 is a fully automatic A/C service station designed for demanding automotive, agricultural and industrial applications.

With a 12 kg refrigerant tank, 100 kg load cell, 7.5 m service hoses and heavy-duty mobile design, it is ideally suited to larger vehicles and machinery where service ports may be difficult to access and refrigerant charges can be greater than those found in passenger vehicles.

Available in dedicated R134a or R1234yf models, the HD Master 303 includes automatic oil injection, automatic air purge, a comprehensive APAC vehicle database, and Wi-Fi and Bluetooth connectivity with the OksysGen+ app.

OksysGen+ allows technicians to monitor machine progress while carrying out other service work, helping improve workshop productivity and technician utilisation.

- Dedicated R134a or R1234yf models
- Fully automatic or manual working cycle
- 100 L/min vacuum pump
- 12 kg refrigerant tank and 100 kg load cell with  $\pm 5$  g scale accuracy
- Automatic air purge and Automatic oil injection with scale
- 7.5 m service hoses
- 240 x 64 Graphic LCD display
- Comprehensive APAC vehicle database
- Wi-Fi and Bluetooth connectivity with OksysGen+ app
- 220 V 50/60 Hz power supply
- 3-year warranty
- Optional Automatic UV Dye Injection Kit (CSAUV)
- Optional Hybrid Service Bottle (CSAHK)
- Optional Nitrogen Leak Check Kit - excl. regulator (CSANITRO)
- Optional Professional A/C Flushing System\* (CSAFLUSH)

\* Uses refrigerant to flush the A/C system



BLUETOOTH AND APP OKSYSGEN+



HYBRID VEHICLES FUNCTION



AUTOMATIC OIL INJECTION



## HD BUS SERIES — Heavy-Duty Bus & Commercial Vehicle A/C Service Station

FULLY AUTOMATIC RRR MACHINES FOR R134A, R1234YF AND R407C BUS, COACH & LARGE VEHICLE A/C SYSTEMS

High-capacity A/C servicing for larger vehicles and larger refrigerant charges.

The HD Bus Series is designed for **bus, coach, commercial vehicle and other high-capacity A/C systems**, combining fully automatic operation with the refrigerant capacity and evacuation performance required for larger systems.

With a **35 kg refrigerant tank, 200 L/min vacuum pump and 20 cc compressor**, the HD Bus Series gives technicians the capacity to service larger A/C systems efficiently, while automatic oil injection, air purge, temperature measurement and performance analysis support accurate, repeatable servicing.

**Bluetooth connectivity with the OksysGen+ app** allows technicians to monitor machine progress while carrying out other service work, helping improve workshop productivity and technician utilisation.

- Dedicated R134a, R1234yf and R407C models (R407C release late 2026)
  - Fully automatic working cycle
  - 200 L/min vacuum pump and 20 cc compressor
  - 35 kg refrigerant tank with  $\pm 5$  g scale accuracy
  - Automatic air purge and Automatic oil injection with scale
  - Automatic UV Dye Injection (CSAUV)
  - Temperature probe and Performance analysis
  - 3.0 m service hoses
  - 240 × 64 Graphic LCD display
  - Comprehensive APAC vehicle database
  - Bluetooth connectivity with OksysGen+ app
  - 220 V 50/60 Hz power supply
  - 3-year warranty
  - Optional Hybrid Service Bottle (CSAHK)
  - Optional Nitrogen Leak Check Kit – excl. regulator (CSANITRO)
  - Optional Professional A/C Flushing System\* (CSAFLUSH)
- \* Uses refrigerant to flush the A/C system



BLUETOOTH AND APP OKSYSGEN+



HYBRID VEHICLES FUNCTION



OIL LOCK



AUTOMATIC OIL INJECTION



3 YEAR WARRANTY

## FAST SERIES — Advanced Diagnostic Automotive A/C Service Station

FULLY AUTOMATIC DIAGNOSTIC RRR MACHINES FOR R134A & R1234YF AUTOMOTIVE A/C SYSTEMS

Advanced A/C servicing with integrated diagnostics for greater workshop efficiency.

The FAST Series combines **fully automatic recover, recycle and recharge operation with advanced diagnostic functions** to help workshops service and assess modern automotive A/C systems more efficiently.

With a **100 L/min vacuum pump, automatic oil and UV dye injection with dedicated scales, A/C system diagnostics and EasyFlash Refrigerant Inspector**, the FAST Series gives technicians greater visibility of system performance while supporting accurate, repeatable servicing.

**Wi-Fi and Bluetooth connectivity with the OksysGen+ app** allow technicians to monitor machine progress while carrying out other service work, helping improve workshop productivity and technician utilisation.

- Dedicated R134a / R744 (CO<sub>2</sub>) or R1234yf / R744 (CO<sub>2</sub>) models – available early 2027
  - Fully automatic working cycle
  - 100 L/min vacuum pump and 10 cc compressor
  - 12 kg refrigerant tank and  $\pm 5$  g scale accuracy
  - Automatic air purge
  - Automatic oil and UV dye injection with dedicated scales
  - Oil Lock Cartridge system
  - Hybrid vehicle function
  - EasyFlash – Refrigerant Inspector
  - Internal system wash
  - Comprehensive APAC vehicle database
  - Wi-Fi and Bluetooth connectivity with OksysGen+ app
  - 256 × 64 Graphic LCD display
  - 220 V 50/60 Hz power supply
  - Full dust cover
  - 3-year warranty
  - Optional Nitrogen Bottle Holder kit (OKSXNKB)
  - Optional Professional A/C Flushing System\* (CSAFLUSH)
- \* Uses refrigerant to flush the A/C system




BLUETOOTH AND APP OKSYSGEN+




HYBRID VEHICLES FUNCTION



OIL LOCK



AUTOMATIC OIL INJECTION



3 YEAR WARRANTY

## CPS OKSYS OPTIONAL ACCESSORIES & SERVICE KITS

Extend capability. Protect performance. Keep your CPS Oksys machine ready for work.

A range of dedicated accessories and service kits is available to expand machine functionality, support specialist A/C servicing and help maintain reliable day-to-day performance.

### CSAUV — Automatic UV Dye Injection Kit

AUTOMATIC UV DYE INJECTION ACCESSORY FOR COMPATIBLE CPS OKSYS RRR MACHINES

Add UV dye automatically during the A/C service cycle. The CSAUV integrates UV dye injection into compatible CPS Oksys machines, helping technicians add the correct amount of fluorescent dye as part of the service process with less manual handling.

- Automatic UV dye injection
- Integrates with compatible Oksys service cycle
- Supports faster leak-detection preparation
- Reduces manual dye handling



### CSAHK — Hybrid Service Bottle

DEDICATED OIL SERVICE ACCESSORY FOR HYBRID & ELECTRIC VEHICLE A/C SYSTEMS

Help protect hybrid A/C systems from oil cross-contamination.

The CSAHK provides a dedicated service bottle for workshops servicing hybrid and electric vehicle A/C systems, helping maintain separation between conventional and electrically compatible compressor oils.

- Supports hybrid and EV A/C servicing
- **Helps reduce oil cross-contamination**
- Dedicated service bottle
- Suitable for compatible CPS Oksys machines



### CSANITRO — Nitrogen Leak Check Kit

NITROGEN LEAK TEST ACCESSORY FOR COMPATIBLE CPS OKSYS RRR MACHINES

Pressure test the A/C system before adding refrigerant. The CSANITRO allows compatible CPS Oksys machines to perform nitrogen pressure testing as part of the service process, helping technicians identify system leaks before refrigerant is introduced.

- Integrated nitrogen leak-testing capability
- **Helps identify leaks before charging**
- Reduces unnecessary refrigerant loss
- NB: Regulator not included

### CSAFLUSH — Professional A/C Flushing System

REFRIGERANT-BASED A/C SYSTEM FLUSHING ACCESSORY FOR COMPATIBLE CPS OKSYS MACHINES

Flush contamination from the A/C system using refrigerant.

The CSAFLUSH adds professional refrigerant-based flushing capability to compatible CPS Oksys machines, helping remove contaminated oil and debris from serviceable A/C system components.

- Uses refrigerant to flush the A/C system
- **Helps remove oil and system contamination**
- Supports cleaner A/C repairs
- Compatible with select CPS Oksys machines
  - not suitable with *Pro-SetM* machines



### OKSXNKB — Nitrogen Bottle Holder Kit

NITROGEN BOTTLE MOUNTING KIT FOR FAST SERIES CPS OKSYS RRR MACHINES

Keep the nitrogen supply secure and ready for leak testing. The OXSXNKB provides a dedicated mounting solution for the nitrogen bottle on the FAST Series machines, helping keep the workshop setup organised and the nitrogen supply conveniently positioned for integrated leak-testing functions.

- Dedicated nitrogen bottle mounting
- Secure and organised installation
- Convenient access during leak testing

### OAC0010 — Annual Service Kit

ANNUAL MAINTENANCE KIT FOR CPS OKSYS RRR MACHINES

The OAC0010 Annual Service Kit provides the scheduled service components required to support routine preventative maintenance of CPS Oksys RRR machines. Annual servicing using CPS-authorized service items is required to maintain warranty validity and support long-term machine reliability.

Regular servicing helps maintain recovery performance, charging accuracy and machine reliability, while reducing the risk of avoidable downtime.

- Designed for annual preventative maintenance
- **Helps maintain machine performance**
- Supports reliability and uptime
- Convenient service components in one kit
- Required to maintain warranty validity



# cps<sup>®</sup> Automotive

## **WORLD HEADQUARTERS**

3600 Enterprise Way, Miramar,  
Florida 33025, USA  
Tel: 305-687-4121, 800-277-3808  
E-mail: [info@cpsproducts.com](mailto:info@cpsproducts.com)  
[www.cpsproducts.com](http://www.cpsproducts.com)

## **CPS AUSTRALIA PTY.LTD.**

54 Pym Street Dudley Park,  
South Australia, 5008  
Tel: 6188-340-7055  
Tel: **1300 CPS PRO**  
E-mail: [sales@cpsaustralia.com.au](mailto:sales@cpsaustralia.com.au)  
[www.cpsaustralia.com.au](http://www.cpsaustralia.com.au)

## **CPS PRODUCTS EUROPE**

Entrepotstraat 3, 9100  
St-Niklaas, Belgium  
Tel: (323) 281 30 40  
E-mail: [info@cpsproducts.be](mailto:info@cpsproducts.be)  
[www.cpsproducts.be](http://www.cpsproducts.be)

## **CPS CHINA BRANCH**

Room 310, Building 3, OET Park,  
Weixin road, Suzhou, China  
Tel: 86-0512-65112585  
E-mail: [sales@cpsaustralia.com.au](mailto:sales@cpsaustralia.com.au)  
[www.cpsproductscn.com.cn](http://www.cpsproductscn.com.cn)

